

383R2189

5. 8. 83

Diario Oficial de las Comunidades Europeas

Nº L 215/1

REGLAMENTO (CEE) Nº 2189/83 DEL CONSEJO**de 28 de marzo de 1983****referente a la celebración del Canje de Notas relativo a la adaptación del Anexo B del Acuerdo con los Estados Unidos de América relativo a los intercambios de determinados productos siderúrgicos**

EL CONSEJO DE LAS COMUNIDADES EUROPEAS,

HA ADOPTADO EL PRESENTE REGLAMENTO:

Visto el Tratado constitutivo de la Comunidad Económica Europea y, en particular, su artículo 113,

Vista la propuesta de la Comisión,

Considerando que, mediante el Reglamento (CEE) nº 2869/82 ⁽¹⁾, el Consejo ha aprobado la celebración de un Acuerdo con los Estados Unidos de América relativo a los intercambios de determinados productos siderúrgicos;

Considerando que el Anexo B del Acuerdo preveía que la lista de los códigos Nimex cubiertos por dicho Acuerdo sería objeto de verificaciones y de enmiendas posteriores, convenidas por los expertos de ambas Partes;

Considerando que dichas verificaciones han puesto de manifiesto la necesidad de determinar con mayor precisión, en códigos Nimex, los productos cubiertos por el Acuerdo,

El presente Reglamento será obligatorio en todos sus elementos y directamente aplicable en cada Estado miembro.

Hecho en Bruselas, el 28 de marzo de 1983.

Artículo 1

1. Queda aprobado en nombre de la Comunidad Económica Europea el Canje de Notas relativo a la adaptación del Anexo B del Acuerdo con los Estados Unidos de América relativo a los intercambios de determinados productos siderúrgicos, en la medida en que dicho Acuerdo se refiere a productos sujetos al Tratado constitutivo de la Comunidad Económica Europea.

2. El texto del Canje de Notas se adjunta al presente Reglamento.

Artículo 2

Se autoriza al Presidente del Consejo para que designe a la persona facultada para proceder al Canje de Notas a fin de obligar a la Comunidad Económica Europea.

Artículo 3

El presente Reglamento entrará en vigor el día de su publicación en el *Diario Oficial de las Comunidades Europeas*.

Por el Consejo

El Presidente

J. ERTL

⁽¹⁾ DO nº L 307 de 1. 11. 1982, p. 1.

CANJE DE NOTAS

Relativo a la modificación del Anexo B del Acuerdo con los Estados Unidos de América relativo a los intercambios de determinados productos siderúrgicos

Department of Commerce,
Washington DC 20230,
USA

Brussels, 1983

Dear Mr . . . ,

As indicated in Appendix B to the Arrangement concerning trade in certain steel products between the European Coal and Steel Community and the United States, this Appendix has been verified by experts of both parties, who agreed on certain amendments to the NIMEXE codes referred to in the Appendix.

These changes are reflected in the enclosed new Appendix B, as amended.

I should be grateful if you would confirm the agreement of the US Government with the content of this letter.

Yours faithfully,

(s.)

(ENCLOSURE)

Appendix B

Product coverage

Description	NIMEXE code	TSUSA No (1983)	
Hot-rolled carbon steel sheet and strip	73.08-01 (*)	607.66-10	
	73.08-03 (**)	607.67-10	
	73.08-05	607.67-20	
	73.08-07	607.67-30	
	73.08-21 (**)	607.67-40	
	73.08-25	607.83-42	
	73.08-29	608.19-20	
	73.08-41 (**)	608.21-20	
	73.08-45	608.23-20	
	73.08-49		
	73.10-16 (*)		
	73.10-49 (*) (*) (**)		
	73.12-11 (*) (*)		
	73.12-19 (*)		
	73.12-40 (*) (*) (**)		
	73.12-88 (*) (*) (**)		
	73.12-89 (*) (*) (**)		
	73.13-11 (*) (*) (**)		
	73.13-16 (*) (*) (**)		
	73.13-17 (*)		
	73.13-19 (*) (**)		
	73.13-21		
	73.13-23		
	73.13-26		
	73.13-32		
	73.13-34		
	73.13-36		
	73.13-62 (*) (*) (*) (**)		
	73.13-88 (*) (*) (*) (**)		
	73.62-10		
	73.63-29 (*)		
	73.63-79 (*) (*)		
	73.64-20 (*)		
	73.64-72 (*) (*)		
	73.64-79 (*) (*)		
	73.65-21 (*)		
	73.65-23		
	73.65-25		
	73.73-35 (*) (*)		
	Hot-rolled alloy steel sheet and strip	73.72-11 (*) (*)	607.81-00
		73.72-19 (*) (*)	608.38-20 (*)
		73.73-35 (*) (*) (*)	608.55-20 (*)
		73.73-36 (*) (*)	608.67-20 (*)
		73.73-39 (*) (*) (*)	
		73.73-89 (*) (*) (*) (*)	
		73.74-21 (*) (*)	
		73.74-29 (*) (*)	
73.74-89 (*) (*) (*)			
73.75-11 (*) (*) (*)			
73.75-19 (*) (*) (*)			
73.75-39 (*)			
73.75-49 (*)			
73.75-79 (*) (*) (*) (*)			
Cold-rolled carbon steel sheet		73.08-03 (*)	607.82-20
	73.08-21 (*)	607.83-50	
	73.08-41 (*)	607.83-55	
	73.10-30 (*) (*)	607.83-60	
	73.10-49 (*) (*) (*) (*)		
	73.12-21 (*) (*)		
	73.12-25 (*) (*)		
	73.12-29 (*) (*)		
73.12-40 (*) (*) (*)			

Description	NIMEXE code	TSUSA No (1983)
	73.12-88 (*) (*) (*) (*)	
	73.12-89 (*) (*) (*) (*)	
	73.13-11 (*)	
	73.13-16 (*)	
	73.13-19 (*)	
	73.13-41	
	73.13-43	
	73.13-45	
	73.13-47	
	73.13-49 (*)	
	73.13-50 (*)	
	73.13-62 (*) (*) (*) (*) (*)	
	73.13-88 (*)	
	73.63-50 (*) (*)	
	73.63-79 (*) (*) (*) (*) (*)	
	73.64-50 (*)	
	73.64-79 (*) (*) (*) (*)	
	73.65-53	
	73.65-55 (*)	
	73.65-70 (*) (*) (*)	
	73.73-55 (*) (*) (*) (*)	
Cold-rolled alloy steel sheet	73.73-55 (*) (*) (*) (*) (*)	607.93-20
	73.73-59 (*) (*) (*) (*) (*)	
	73.73-89 (*) (*) (*) (*) (*) (*) (*) (*)	
	73.74-51 (*) (*) (*) (*)	
	73.74-52 (*) (*) (*) (*)	
	73.74-59 (*) (*) (*) (*)	
	73.74-89 (*) (*) (*) (*) (*) (*)	
	73.75-11 (*) (*) (*) (*)	
	73.75-19 (*) (*) (*) (*)	
	73.75-59 (*) (*) (*) (*)	
	73.75-69 (*) (*) (*) (*)	
	73.75-79 (*) (*) (*) (*) (*)	
Carbon steel plate (including clad plate)	73.09-00 (*)	607.66-15 (*)
	73.10-16 (*) (*) (*) (*) (*) (*)	607.94-00
	73.10-42 (*) (*) (*) (*)	608.07-10
	73.10-45 (*) (*) (*) (*)	608.11-00
	73.10-49 (*) (*) (*) (*)	
	73.12-11 (*) (*) (*) (*) (*) (*)	
	73.12-19 (*) (*) (*) (*) (*) (*)	
	73.12-40 (*) (*) (*) (*) (*) (*)	
	73.12-51 (*) (*) (*) (*)	
	73.12-59 (*) (*) (*) (*)	
	73.12-61 (*) (*) (*) (*)	
	73.12-63 (*) (*) (*) (*)	
	73.12-65 (*) (*) (*) (*)	
	73.12-71 (*) (*) (*) (*)	
	73.12-75 (*) (*) (*) (*)	
	73.12-81 (*) (*) (*) (*) (*)	
	73.12-85 (*) (*) (*) (*) (*)	
	73.12-87 (*) (*) (*) (*) (*)	
	73.12-88 (*) (*) (*) (*) (*) (*)	
	73.12-89 (*) (*) (*) (*) (*) (*) (*)	
	73.13-11 (*) (*) (*) (*) (*) (*) (*)	
	73.13-16 (*) (*) (*) (*) (*) (*) (*)	
	73.13-17 (*) (*) (*) (*)	
	73.13-19 (*) (*) (*) (*) (*)	
	73.13-62 (*) (*) (*) (*)	
	73.13-64 (*) (*) (*) (*)	
	73.13-65 (*) (*) (*) (*)	
	73.13-67 (*) (*) (*) (*)	
	73.13-68 (*) (*) (*) (*)	
	73.13-72 (*) (*) (*) (*)	
	73.13-74 (*) (*) (*) (*)	
	73.13-76 (*) (*) (*) (*)	
	73.13-78	
	73.13-79	
	73.13-84 (*) (*) (*) (*)	
	73.13-86 (*) (*) (*) (*)	
	73.13-87 (*) (*) (*) (*)	

Description	NIMEXE code	TSUSA No (1983)
	73.13-88 ⁽¹²⁾ ⁽²²⁾	
	73.13-89 ⁽¹²⁾ ⁽²²⁾	
	73.62-30 ⁽¹¹⁾	
	73.63-29 ^(*) ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾	
	73.63-72 ^(*) ⁽¹³⁾	
	73.63-74 ^(*) ^(*)	
	73.63-79 ^(*) ⁽²⁵⁾	
	73.64-72 ⁽¹³⁾	
	73.64-75 ^(*)	
	73.64-79 ⁽²²⁾	
	73.65-21 ⁽¹³⁾	
	73.65-70 ⁽¹⁸⁾	
	73.73-35 ^(*) ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ ⁽²¹⁾	
	73.73-72 ^(*) ⁽¹³⁾ ⁽¹⁶⁾	
	73.73-74 ^(*) ^(*) ⁽¹⁶⁾	
	73.73-83 ^(*) ⁽¹⁸⁾ ⁽²²⁾	
	73.73-89 ^(*) ⁽¹⁶⁾ ⁽²²⁾	
	73.74-72 ⁽¹³⁾	
	73.74-74 ^(*)	
	73.74-83 ⁽¹⁶⁾ ⁽²¹⁾	
	73.74-89 ⁽¹⁶⁾ ⁽²²⁾	
	73.75-73 ⁽¹⁶⁾	
	73.75-79 ⁽¹⁶⁾	
Alloy steel plate	73.72-11 ^(*) ^(*) ⁽¹²⁾	607.78-00 ⁽¹⁷⁾
	73.72-19 ^(*) ⁽¹²⁾	607.91-00
	73.72-39 ^(*) ⁽¹¹⁾	608.14-20
	73.73-35 ^(*) ⁽¹¹⁾ ⁽¹²⁾ ⁽²²⁾	
	73.73-36 ^(*) ⁽¹¹⁾ ⁽¹²⁾	
	73.73-39 ^(*) ^(*) ⁽¹¹⁾ ⁽¹²⁾	
	73.73-55 ^(*) ^(*) ⁽¹²⁾ ⁽²²⁾	
	73.73-59 ^(*) ^(*) ⁽¹²⁾	
	73.74-21 ^(*) ⁽¹¹⁾ ⁽¹²⁾	
	73.74-29 ^(*) ⁽¹¹⁾ ⁽¹²⁾	
	73.74-72 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹⁴⁾	
	73.74-74 ^(*) ⁽¹²⁾ ⁽¹⁸⁾	
	73.74-83 ^(*) ⁽¹²⁾ ⁽¹⁸⁾ ⁽²²⁾	
	73.74-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽¹⁸⁾ ⁽²²⁾	
	73.75-11 ^(*) ⁽¹²⁾	
	73.75-19 ^(*) ⁽¹²⁾	
	73.75-29 ^(*)	
	73.75-59 ^(*) ⁽¹²⁾	
	73.75-73 ⁽¹²⁾ ⁽¹⁸⁾ ⁽²²⁾	
	73.75-79 ⁽¹²⁾ ⁽¹⁸⁾ ⁽²²⁾	
Carbon steel structural shapes	73.11-11 ⁽¹⁹⁾	609.80-05
	73.11-12	609.80-15
	73.11-14	609.80-35
	73.11-16	609.80-41
	73.11-19 ⁽¹⁹⁾	609.80-45
	73.11-20 ⁽¹⁹⁾	
	73.11-31 ⁽¹⁹⁾	
	73.11-39 ⁽¹⁹⁾	
	73.63-10 ⁽¹⁹⁾ ⁽²⁰⁾	
	73.63-29 ⁽¹⁹⁾ ⁽²⁰⁾	
	73.63-50 ⁽¹⁹⁾ ⁽²⁰⁾	
	73.73-35 ⁽²⁰⁾ ⁽²¹⁾	
	73.73-55 ⁽²⁰⁾ ⁽²¹⁾	
Alloy steel structural shapes	73.73-13 ⁽²⁰⁾	609.82-00
	73.73-14 ⁽²⁰⁾	
	73.73-19 ⁽²⁰⁾	
	73.73-33 ⁽²⁰⁾	
	73.73-34 ⁽²⁰⁾	
	73.73-35 ⁽²⁰⁾ ⁽²²⁾	
	73.73-36 ⁽²⁰⁾	
	73.73-39 ⁽²⁰⁾	
	73.73-43 ⁽²⁰⁾	
	73.73-49 ⁽²⁰⁾	
	73.73-53 ⁽²⁰⁾	
	73.73-54 ⁽²⁰⁾	
	73.73-55 ⁽²⁰⁾ ⁽²²⁾	
	73.73-59 ⁽²⁰⁾	

Description	NIMEXE code	TSUA No (1983)
Carbon wire rod	73.10-11 ⁽²³⁾	607.14-00
	73.10-16 ⁽²⁴⁾ ⁽²⁵⁾	607.17-00
	73.63-21 ⁽²⁵⁾	607.22-00
	73.63-29 ⁽²⁴⁾ ⁽²⁵⁾	607.23-00
	73.73-25 ⁽²¹⁾ ⁽²³⁾	
	73.73-35 ⁽²¹⁾ ⁽²⁴⁾ ⁽²⁵⁾	
Hot-rolled carbon steel bar	73.09-00 ⁽³⁰⁾	606.83-10
	73.10-11 ⁽²⁶⁾	606.83-30
	73.10-16 ⁽²⁷⁾ ⁽²⁸⁾	606.83-50
	73.10-49 ⁽²⁷⁾ ⁽²⁸⁾	
	73.12-11 ^(*) ⁽¹²⁾ ⁽³⁰⁾	
	73.12-19 ⁽¹²⁾ ⁽³⁰⁾	
	73.62-30 ⁽³⁰⁾	
	73.63-21 ⁽²⁶⁾	
	73.63-29 ⁽²⁷⁾ ⁽²⁸⁾	
	73.63-79 ⁽²⁷⁾ ⁽²⁸⁾	
	73.64-20 ⁽¹²⁾ ⁽³⁰⁾	
	73.64-72 ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾	
	73.64-79 ^(*) ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾	
	73.73-35 ⁽²¹⁾ ⁽²⁷⁾ ⁽²⁸⁾	
Hot-rolled alloy bar	73.73-25 ⁽²⁶⁾	606.97-00
	73.73-26 ⁽²⁶⁾	
	73.73-29 ^(*) ⁽²⁶⁾	
	73.73-35 ⁽²²⁾ ⁽²⁷⁾ ⁽²⁸⁾	
	73.73-36 ⁽²⁷⁾ ⁽²⁸⁾	
	73.73-39 ^(*) ⁽²⁷⁾ ⁽²⁸⁾	
	73.73-89 ^(*) ⁽²⁷⁾ ⁽²⁸⁾	
	73.74-21 ^(*) ⁽¹²⁾ ⁽³⁰⁾	
	73.74-29 ^(*) ⁽¹²⁾ ⁽³⁰⁾	
Carbon coated sheet (galvanized carbon steel sheet other carbon coated steel	73.10-42 ^(*) ^(*) ^(*) ⁽¹²⁾	608.07-30
	73.10-45 ^(*) ^(*) ^(*) ⁽¹²⁾	608.13-10
	73.10-49 ^(*) ^(*) ^(*) ⁽¹²⁾	608.13-20
	73.12-40 ^(*) ^(*) ⁽¹²⁾	608.13-30
	73.12-61 ^(*) ^(*)	608.13-40
	73.12-63 ^(*) ^(*)	608.13-50
	73.12-71 ^(*) ^(*) ⁽¹²⁾	
	73.12-75 ^(*) ^(*) ⁽¹²⁾	
	73.12-81 ^(*) ^(*)	
	73.12-85 ^(*) ^(*)	
	73.12-87 ^(*) ^(*)	
	73.12-88 ^(*) ^(*) ⁽¹²⁾	
	73.12-89 ^(*) ^(*) ⁽¹²⁾	
	73.13-62 ^(*) ⁽¹²⁾ ⁽⁴¹⁾	
	73.13-67 ^(*)	
	73.13-68 ^(*)	
	73.13-72 ^(*)	
	73.13-84 ^(*)	
	73.13-86 ^(*)	
	73.13-87 ^(*)	
	73.13-88 ^(*) ⁽¹²⁾	
	73.13-89 ^(*) ⁽¹²⁾	
	73.63-72 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.63-74 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.63-79 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.64-72 ^(*) ^(*) ⁽¹²⁾	
	73.64-75 ^(*) ^(*) ⁽¹²⁾	
	73.64-79 ^(*) ^(*) ⁽¹²⁾	
73.65-70 ^(*) ⁽⁴²⁾		
Alloy coated sheet and terne plate and sheet	73.12-65 ^(*) ^(*)	608.01-00
	73.13-74 ^(*)	608.14-40
	73.73-72 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.73-74 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.73-89 ^(*) ^(*) ^(*) ⁽¹²⁾	
	73.74-72 ^(*) ^(*) ⁽¹²⁾	
	73.74-74 ^(*) ^(*) ⁽¹²⁾	
	73.74-83 ^(*) ^(*) ⁽¹²⁾	
	73.74-89 ^(*) ^(*) ⁽¹²⁾	
	73.75-73 ^(*) ⁽¹²⁾	
	73.75-79 ^(*) ⁽¹²⁾	

Description	NIMEXE code	TSUSA No (1983)
Tin plate	73.12-51 (*) (*)	607.96-00
	73.12-59 (*) (*)	607.97-00
	73.13-64 (*)	607.99-00
	73.13-65 (*)	
	73.13-76 (*)	
Carbon and alloy rails	73.16-14	610.20-10
	73.16-16	610.20-20
	73.16-17	610.21-00
	73.16-20	
Carbon and alloy sheet piling	73.11-50	609.96-00
		609.98-00

- (1) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.
- (2) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.
- (3) Covered if in coil.
- (4) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (5) Covered if less than three-sixteenths of an inch in thickness.
- (6) Covered if of rectangular section.
- (7) Covered if hot-rolled.
- (8) Covered if over 12 inches in width.
- (9) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (10) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.
- (11) Covered if over eight inches in width.
- (12) Covered if three-sixteenths of an inch or more in thickness.
- (13) Covered if not in coils.
- (14) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.
- (15) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.
- (16) Covered if clad.
- (17) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.
- (18) Excluded if clad.
- (19) Covered if having a maximum cross-sectional dimension of three inches or more.
- (20) Covered if structural shapes.
- (21) Covered if contains 0,35 % or less lead or sulfur.
- (22) Covered if contains over 0,35 % lead or sulfur.
- (23) Covered if of circular section and 0,2 of an inch or over in diameter.
- (24) Covered if coiled and if 18,8 mm or less in diameter.
- (25) Covered if of circular section.
- (26) Covered if cross-section, in the form of segments of circles, ovals isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.
- (27) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with onyl two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

(²⁸) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.

Note: Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.

- (²⁹) Excluded if cold formed.
 - (³⁰) Covered if eight inches or less in width.
 - (³¹) Covered if cold-rolled.
 - (³²) Covered if coated or plated with metal.
 - (³³) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.
 - (³⁴) Excluded if coated, plated or clad with metal.
 - (³⁵) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.
 - (³⁶) Covered if enamelled.
 - (³⁷) Covered if clad, if coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.
 - (³⁸) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.
 - (³⁹) If three-sixteenths of an inch or over in thickness, covered if not pickled.
 - (⁴⁰) Covered if three-sixteenths of an inch or over in thickness and pickled.
 - (⁴¹) If three-sixteenths of an inch or over in thickness, excluded if cut to length.
 - (⁴²) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.
 - (⁴³) Excluded if silvered gilded or platinum plated.
-

Sir Roy Denman
The Head of the Delegation
Delegation of the Commission of
the European Communities
210 M Street, N.W.
Suite 707
Washington, DC 20037

Dear Sir Roy

This is in response to your letter of 29 March 1983 transmitting to the US Government a revised version of Appendix B to the Arrangement concerning trade in certain steel products between the European Communities and the United States. I am pleased to confirm that the revised Appendix B reflects the agreement reached by both parties in January to make certain amendments to the NIMEXE codes referred to in Appendix B.

The above is without prejudice to changes that may be required to cover any discrepancy in Appendix B found by either party subsequent to the January agreement.

Sincerely,

Lionel H. OLMER
